10/828943

cofc

THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor:

F.R. Griss

Attorney Docket No: GRISF122500

Patent No:

US 7,024,813 B2

Group Art Unit:

3643

Issued:

April 11, 2006

Certificate

JUN 2 9 2006

Title:

BAIT HOLDER FOR A FISHING LURE

of Correction

## **REQUEST FOR CERTIFICATE OF CORRECTION**

Seattle, Washington 98101

ATTN:

CERTIFICATE OF CORRECTION BRANCH

**COMMISSIONER FOR PATENTS:** 

Enclosed is a Certificate of Correction, Form PTO 1050, for the above-identified U.S. Letters Patent. The errors in the printed patent listed on the enclosed form occurred at the corresponding locations in the application file listed below:

Column,	Line	Page,	Line
(57)	Abstract	9	1-7
Pg. 1, col. 2	1-20 of text	(Amendment	10/22/04)
4	8	2	9
(Claim 1,	line 10)	(Claim 1, (Ex. Amend.	line 6)
		(Ex. Amend.	12/30/05)

Since the Certificate of Correction is necessitated by Patent and Trademark Office errors, no fee is required.

Respectfully submitted,

CHRISTENSEN O'CONNOR JOHNSON KINDNESSPLLC

James R. Uhlir

Registration No. 25,096

Direct Dial No. 206.695.1703

I hereby certify that this correspondence is being deposited with the U.S. Postal Service in a sealed envelope as first-class mail with postage thereon fully prepaid and addressed to the Commissioner for Patents, ATTN: Certificate of Correction Branch, P.O. Box 1450, Alexandria, VA 22313-1450, on the below date. oldrie L. Whitney

JRU:lac

LAW OFFICES OF CHRISTENSEN O'CONNOR JOHNSON KINDNESSMAC 1420 Fifth Avenue **Suite 2800** 

Seattle, Washington 98101 206.682.8100

## UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO. :

US 7,024,813 B2

**DATED** 

April 11, 2006

INVENTOR(S):

F.R. Griss

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

<b>COLUMN</b>	<b>LINE</b>	ERROR
(57) Pg. 1, col. 2	Abstract 1-20 of text	delete the Abstract in its entirety and insertIn a fishing lure an improved system for holding a bait comprising a wire connected to a central shaft and extending through the central opening of a bead also mounted on the shaft. A piece of elastic tubing extends over the central shaft to form a surface on which a bait is held. The wire is wrapped around the bait to hold it in place. The wire is selected to be of a material and thickness such that it may be easily bent and unbent without kinking or breaking and once wrapped around a bait maintains its shape to hold the bait in place on a lure during fishing
4 (Claim 1,	8 line 10)	"seconds" should readsecond

MAILING ADDRESS OF SENDER:

Christensen O'Connor Johnson KindnessPLLC 1420 Fifth Avenue, Suite 2800 Seattle, WA 98101

PATENT NO.

US 7,024,813 B2

GRISF\22500173A.DOC

No. of add'l copies @ 50¢ per page